

SMARTBUFFERS

IMAC Phosphate & IMAC Elution Buffer Tablets



Features

- · Dissolve and go
- Exactly pre-weighed tablets in bottles
- Mix elution buffer with phosphate buffer to achieve desired imidazole concentration
- Ultrapure, low UV₂₈₀ absorbance imidazole
- · Formulated from analytical grade chemicals

Product description

Immobilized metal ion affinity chromatography (IMAC) is a widely used separation method for purifying proteins and peptides that have an affinity for metal ions, such as histidine-tagged proteins but also some untagged recombinant or native proteins. Medicago's IMAC phosphate and elution buffer tablets have been developed exclusively for use in this method.

IMAC buffer tablets are supplied in bottles and in blister packs. One tablet of phosphate buffer dissolved in deionized water yields a 300 mM sodium chloride, 50 mM sodium phosphate buffer with pH 8.0 at 22°C. One tablet of elution buffer yields a 300 mM sodium chloride, 300 mM imidazole, 50 mM sodium phosphate buffer with pH 8.0 at 22°C.

Applications

- · Purification of histidine-tagged and non-histidine-tagged recombinant and native proteins using IMAC chromatography
- The phosphate buffer may be used for other types of affinity chromatography methods

Directions for use

Prepare the phosphate and the elution buffers separately. Deposit one tablet in a laboratory flask or beaker placed on a magnetic stirrer. Add deionized water up to the given volume for each tablet and stir until full dissolution. Mix the phosphate buffer and elution buffer to achieve desired imidazole concentration, follow the dilution series in Table 1 on page 2 of this product sheet.

Shipping and storage

IMAC phosphate and elution buffer tablets are shipped at room temperature. Store the tablets in a dry place at room temperature. Shelf life for IMAC phosphate buffer tablets is five years and shelf life for IMAC elution buffer tablets is three years.

Specifications

Chemicals	Analytical grade
Format	Exactly pre-weighed tablets
Composition	Phosphate Buffer
	300 mM Sodium Chloride
	50 mM Sodium Phosphate
	Elution Buffer
	300 mM Sodium Chloride
	300 mM Imidazole
	50 mM Sodium Phosphate
Volume	Phosphate Buffer: 400 ml
	Elution Buffer: 100 ml
рН	8.0 ± 0.05 at 22°C
Shelf life	Phosphate Buffer: 5 years after production date
	Elution Buffer: 3 years after production date

Tips and hints

If the tablet is not properly dissolved, make sure:

- the water temperature is 22°C (do not exceed this temperature)
- the buffer is properly stirred

Certifications

Medicago's laboratories and manufacturing site in Uppsala are ISO 9001:2008 and ISO 13485:2003 certified. Each stage of the manufacturing process is controlled and monitored by stringent quality control procedures to guarantee the highest possible quality and lot-to-lot reproducibility.

•				4.5
Ord	lerın	a ın	torm	ation

Ordering information				272	
Article no.	Product name	Pack size	Solution vol.	0	
09-1010-10	IMAC Phosphate Buffer	10 tablets	100 10 11 1	1, 2011	
09-1010-50	IMAC Phosphate Buffer	50 tablets	400 ml/tablet	11-10	
09-1012-10	IMAC Elution Buffer	10 tablets	100 ml/tablet	U	
09-1012-50	IMAC Elution Buffer	50 tablets	100 ml/tablet		



SMARTBUFFERS

IMAC Phosphate & IMAC Elution Buffer Tablets

Dilution series for IMAC Phosphate and Elution buffers					
Final Conc. Imidazole (mM)	IMAC Elution Buffer (ml)	IMAC Phosphate Buffer (ml)			
0	0	60			
5	1	59			
10	2	58			
15	3	57			
20	4	56			
25	5	55			
30	6	54			
35	7	53			
40	8	52			
45	9	51			
50	10	50			
60	12	48			
70	14	46			
80	16	44			
90	18	42			
100	20	40			
125	25	35			
150	30	30			
175	35	25			
200	40	20			
225	45	15			
250	50	10			
275	55	5			
300	60	0			

Table 1: Dilution series for IMAC phosphate and IMAC elution buffers. Follow the protocol and mix the two buffers to obtain desired final concentration of Imidazole.

